



WORKBENCHES

1505

MOBILE WORKBENCH

Body:

- Dimensions: H 900 x W 1100 x D 652 mm
- 40 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- Large usable storage space with shelf and door
- Easy, safe movement with pull handle
- Heel protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- 5 wide drawers (W 480 x D 550 mm), extendable up to 505 mm, removeable
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE Jumbo heavy-duty chassis:






- Total load capacity 2000 kg, 500 kg when mobile
- 4 GEDORE wheels on roller bearings with independent wheel suspension
- Absolutely stable standing when lowered
- Mobile due to hydraulic raising mechanism, just lift the pull handle
- High floor clearance

Accessories:

- 2 distance modules No. 1500 ED-70 K
- 9 length- (LT) and 9 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Rear panel R 1504 L can be added
- Delivery without tools and accessories
- Special colours and designs available on request



Description	H	W	D	mm	LD	CD	kg	Code	No.
Mobile workbench	900	1100	652	40	9x	9x	138.0	6621780	1505
Mobile workbench with vice	900	1100	652	40	9x	9x	156.5	6621860	1505 S


1506 XL
MOBILE WORKBENCH EXTRA WIDTH
Body:

- Dimensions: H 985 x W 1250 x D 550 mm
- 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- With two similar drawer blocks
- Heel protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- Wide drawers (W 480 x D 400 mm) fully extendable, removable
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg, bottom heavy-duty drawers 60 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE High-performance chassis:


- Total load capacity 700 kg, 500 kg when mobile
- 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 4 distance modules No. 1500 ED-70 K
- Length- (LT) and crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Rear panel R 1504 XL-L can be added
- Further drawer combinations on request
- Special colours and designs available on request
- Delivery without tools and accessories



1506 XL 2511



1506 XL 2810

	H	W	D	mm	LD	CD	kg	Code	No.
14 drawers:	985	1250	550	30	15x	3x	140.0	2528088	1506 XL 2511
10x type 1, H = 67 mm									
2x type 2, H = 137 mm									
2x type 3, H = 207 mm									
18 drawers:	985	1250	550	30	15x	3x	150.0	2528096	1506 XL 2810
16x type 1, H = 67 mm									
2x type 2, H = 137 mm									



R 1504 XL L

41



411

518




1504 XL
MOBILE WORKBENCH EXTRA WIDTH
Body:

- Dimensions: H 985 x W 1250 x D 550 mm
- 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- Large usable storage space with shelf and door
- Heel protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- 1 XL drawer (W 1055 x D 400), 6 wide drawers (W 640 x D 400 mm) fully extendable, removable
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE High-performance chassis:






- Total load capacity 700 kg, 500 kg when mobile
- 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 10 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT or 2005 CT)
- Rear panel R 1504 XL-L can be added
- Further drawer combinations on request
- Special colours and designs available on request
- Delivery without tools and accessories



	H	W	D	mm	LD	CD		Code	No.
7 drawers:	985	1250	550	30	10x	2x	120.0	1988468	1504 XL
1x type XL, H = 67 mm, W = 1055 mm									
4x type 1, H = 67 mm									
1x type 2, H = 137 mm									
1x type 3, H = 207 mm									

SL 2013 / SL 3014 182 · 196
SL 1912 / SL 1916 218



1504
MOBILE WORKBENCH
Body:

- Dimensions: H 985 x W 1100 x D 550 mm
- 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- Large storage space with shelf and door
- Heel protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- Wide drawers (W 480 x D 400 mm) fully extendable, removable
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg (apart from no. 1504 1000)
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE High-performance chassis:




- Total load capacity 700 kg, 500 kg when mobile
- 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 4 distance modules no. 1500 ED-70 K
- Length- (LT) and crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Rear panel no. R 1504 L or RT 1504 L can be added
- Further drawer combinations on request
- Special colours and designs available on request
- Delivery without tools and accessories



	Description	H	W	D	LD	CD	kg	Code	No.
7 drawers: 5x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	Mobile workbench with 7 drawers	985	1100	550	10x	2x	103.0	6622830	1504 0511
7 drawers: 5x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	Mobile workbench with 7 drawers and vice	985	1100	550	10x	2x	112.5	6623050	1504 0511 S
6 drawers: 3x type 1, H = 67 mm 2x type 2, H = 137 mm 1x type 3, H = 207 mm	Mobile workbench with 6 drawers	985	1100	550	6x	2x	96.0	1814958	1504 0321
8 drawers: 7x type 1, H = 67 mm 1x type 3, H = 207 mm	Mobile workbench with 8 drawers	985	1100	550	10x	2x	99.0	1814931	1504 0701
9 drawers: 8x type 1, H = 67 mm 1x type 2, H = 137 mm	Mobile workbench with 9 drawers	985	1100	550	15x	3x	106.0	1814923	1504 0810
10 drawers: 10x type 1, H = 67 mm	Mobile workbench with 10 drawers	985	1100	550	15x	3x	110.0	1814915	1504 1000


BR 1504
MOBILE WORKBENCH with self raising rear panel
Body:

- Dimensions: H 985 x W 1100 x D 550 mm
- 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- Large usable storage space with shelf and door
- With rear panel, square perforation 10 x 38 mm to fix hooks and tools, with lowering mechanism, can be raised by 2 gas springs
- Heel protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- Wide drawers (W 480 x D 400 mm) fully extendable, removable
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE High-performance chassis:



- Total load capacity 700 kg, 500 kg when mobile
- 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 2 distance modules No. 1500 ED-70 K
- 10 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:


- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Further drawer combinations on request
- Special colours and designs available on request
- Delivery without tools and accessories



Description	H	W	D	mm	LD	CD	kg	Code	No.
Workbench with rear panel	985	1100	550	30	10x	2x	128.0	6624450	BR 1504 0511 L
Workbench with rear panel + hook assortment	985	1100	550	30	10x	2x	130.0	6623990	BR 1504 0511 LH
Workbench with rear panel + vice	985	1100	550	30	10x	2x	142.5	6624370	BR 1504 0511 S

1500 ES / 1500 CT

98 – 113


411

518



BRT 1504
MOBILE WORKBENCH WITH REAR PANEL
Body:

- Dimensions: H 1700 x W 1100 x D 550 mm (without rear panel)
- 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- Large usable storage space with shelf and door
- Rear panel RT 1504 L with square perforation 10 x 38 mm
- Offers additional storage area and allows quick access to tools and small parts
- Heel protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- 7 wide drawers (W 480 x D 550 mm), extendable up to 505 mm, removeable
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE High-performance chassis:

- Total load capacity 700 kg, 500 kg when mobile
- 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 4 distance modules No. 1500 ED-70 K
- 10 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Further drawer combinations on request
- Special colours and designs available on request
- Delivery without tools and accessories



III. similar

H	W	D	mm	LD	CD	kg	Code	No.
985	1100	550	30	15x	3x	111.0	2529912	BRT 1504


... CUSTOMISED FOR YOU!
Individual – precise – customised – flexible – right on!

- From non-standard sizes, special surface treatment (colour and/or finish), customised tool modules through to special electronic product programming and establishing/ implementing individual maintenance intervals (calibration/services) - and a lot more besides.
- WE** develop special tools, customised tools and/or quality forgings **for YOU**.
- Your problems are our assignments.
- Simply contact us!




BR 1500 LH
WORKBENCH WITH TOOL CABINET
Body workbench:

- Dimensions: H 900 x W 2000 x D 875 mm
- 40 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- Large storage space with shutter
- Heel protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Body cabinet:

- Dimensions: H 890 x W 1810 x D 170 mm
- Shutter with cylinder lock
- Rear panel with square perforation 10 x 38 mm to fix hooks and tools
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue
- Shutter from sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

Drawers workbench:




- Separate central locking of drawers and shutter with cylinder locks
- 5 wide drawers (W 480 x D 550 mm), extendable up to 505 mm, removeable
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver
- Total load capacity (workbench) 2000 kg

Accessories:


- 85-piece hook assortment 1500 HS 23
- 9 length- (LT) and 9 crosswise (QT) dividers from zinc-plated sheet steel

Options:

- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Special colours and designs available on request
- Delivery without tools and accessories



BR 1500 LH



Description	H	W	D	mm	LD	CD		Code	No.
Workbench with tool cabinet	1790	2000	875	40	9x	9x	203.7	6618210	BR 1500 LH
Workbench without tool cabinet	900	2000	875	40	9x	9x	166.0	6618050	B 1500 L
Tool cabinet with blind, empty	890	1810	170				78.0	6617910	R 1500 L

1502
MOBILE WORKBENCH
Body:

- Dimensions: H 875 x W 950 x D 550 mm
- 25 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- Large, easily-accessible spaces for bulky parts
- Heel protection for your safety
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT blue

Drawers:

- Central locking with cylinder lock
- 6 wide drawers (W 480 x D 400 mm) fully extendable, removable
- Each drawer with safety locking, single-hand operation
- Ball-bearing guide rails
- Can be individually equipped with length and crosswise dividers (can be ordered individually)
- Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORIT silver

GEDORE High-performance chassis:


- Total load capacity 700 kg, 500 kg when mobile
- 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- The GEDORE trapezoidal axle construction secures smooth running, manoeuvrability and track-keeping also in case of maximum loads

Accessories:

- 2 distance modules No. 1500 ED-70 K
- 10 length- (LT) and 2 crosswise (QT) dividers from zinc-plated sheet steel

Options:


- Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- Special colours and designs available on request
- Delivery without tools and accessories



Description	H	W	D	mm	LD	CD	kg	Code	No.
Mobile workbench	870	950	550	25	10x	2x	78.0	6620540	1502
Mobile workbench with vice	870	950	550	25	10x	2x	85.0	6620620	1502 S

ACCESSORIES FOR WORKBENCHES
R 1504 L
REAR PANEL


- Can be attached to workbench 1504 or 1505
- Automatically raised by two gas springs, lockable with cylinder lock
- Neat arrangement of tools
- Square perforation 10 x 38 mm
- Dimensions: H 640 x W 1000 x D 70 mm
- GEDORIT blue
- Execution LH with hook assortment No. 1504 HG



Description	H	W	D	kg	Code	No.
Rear panel empty	640	1000	70	28.0	6623800	R 1504 L
Rear panel empty with hook assortment	640	1000	70	30.0	6624020	R 1504 LH

RT 1504 L
REAR PANEL BOARD

- Can be attached to workbenches 1504 and 1505
- Square perforation 10 x 38 mm
- GEDORIT blue
- Including attachment material



H	W	D	kg	Code	No.
715	1025	30	5.0	2477025	RT 1504 L