

862 PROLASER® CROSS LINE LASER

Indoor red cross-line laser



886-48/38

Tripod for Laser Level



886-48

- Professional tripod – up to 2.32 meters, with scale and vial (886-48)
- Lightweight tripod – up to 1.20 meters, with vial (886-28)



886-28

886-58

Pole with Tripod



- Telescoping pole with locking sections
- 3.2 meters (10.5') maximum height
- Strong lightweight tripod stand with surface level
- Adjustable laser mount with 5/8" UNC thread

841 TRIPOD ADAPTOR

- Converts tripod thread from 1/4" UNC to 5/8" UNC




886-30

Extendable Pole for Laser Level



- Self-clamping between floor and ceiling
- 3.2 meters (10ft) maximum height
- Includes adjustable laser mount with 5/8" UNC thread



INDOOR AND TILT MODE

- Vertical, horizontal and cross beams
- Indoor laser range: 20m (65')
- Accuracy: 0.2mm/m (0.0002"/")
- Self-leveling range $\pm 3^\circ$
- Manual mode for angular layout/ tilted marking
- Visual "Out of level" warning
- Tripod ready: 1/4" thread
- V-grooved
- Rare earth magnets
- "Velcro" strip slant
- Hanging hole

Includes

- Soft carry case

Applications

- Tiling
- Laying cabinets
- Hanging curtains
- Many types of decorative work

Option:

Laser with tripod 1.3m (862S)




862 SET (862S)

Laser with tripod
1.3m (4.2')

862G PROLASER® CROSS LINE LASER

Indoor green cross-line laser





INDOOR AND TILT MODE

- Vertical, horizontal and cross beams
- Indoor laser range: 20m (65')
- Accuracy: 0.4mm/m (0.0004"/")
- Self-leveling range $\pm 3^\circ$
- Manual mode for angular layout/ tilted marking
- Visual "Out of level" warning
- Tripod ready: 1/4" thread
- V-grooved
- Rare earth magnets
- "Velcro" strip slant
- Hanging hole

Includes

- Soft carry case

Applications

- Tiling
- Laying cabinets
- Hanging curtains
- Many types of decorative work

Option:

- Laser with 1.3m tripod (862GS)



**862G SET
(862GS)**
Laser with tripod
1.3m (4.2')

872 PROLASER® PLUS

Free standing red cross-beam laser



Manual mode

Beam selector

Pulse/ outdoor mode

Keypad


Shock resistant rubber casing

Laser projector window
Horizontal & Vertical

On/Off switch



Tripod thread
1/4"




Strong folding legs for angle mounting and height adjustment

Anti-slip grips



894-04
Laser Detector
For outdoor work (sold separately)



INDOOR OUTDOOR AND TILT MODE

- Intersecting horizontal and vertical beams at 90°
- Laser range:
 - Indoor: 30m (100')
 - Outdoor with detector: 50m (165')
- Accuracy: 0.2mm/m (0.0002"/")
- Self-leveling range $\pm 3^\circ$
- Manual mode for angular layout/ tilted marking
- Visual and audible "Out of level" warning
- Strong folding legs for angle mounting
- Shock resistant rubber casing
- Tripod ready: 1/4" thread

Includes

- Pouch and tripod adaptor for 5/8" thread (841)

Applications

- Aligning tiles, cabinets, borders, moldings and trims
- Deck installation and exterior layout
- Door and window installation
- All types of DIY jobs, including hanging shelves, pictures and more

Options

- Laser with 1.3m tripod (872S)
- Laser with wall mount (872L)



872 SET (872S)
Laser with Tripod 1.3m



872L
Laser with wall mount




841
5/8" thread

872G PROLASER® PLUS GREEN

Free standing green cross-laser





INDOOR OUTDOOR AND TILT MODE

- Intersecting horizontal and vertical beams at 90°
- Laser range:
 - Indoor: 30m (100')
 - Outdoor with detector: 60m (200')
- Accuracy: 0.2mm/m (0.0002"/")
- Self-leveling range $\pm 3^\circ$
- Manual mode for angular layout/ tilted marking
- Visual and audible "Out of level" warning
- Strong folding legs for angle mounting
- Shock resistant rubber casing
- Tripod ready: 1/4" thread

Includes

- Pouch and tripod adaptor for 5/8" thread (841)

Applications

- Aligning tiles, cabinets, borders, moldings and trims
- Door and window installation
- All types of DIY jobs, including hanging shelves, pictures and more

Options

- Laser with 1.3m tripod (872GS)
- Laser with wall mount (872GL)




841
5/8" thread

872G SET (872GS)
Laser with Tripod 1.3m

873 PROLASER® VECTOR

The red genie with the 3 Cross-laser lines





INDOOR OUTDOOR AND TILT MODE

- 3 Laser beams, including:
 - 1 Horizontal
 - 2 Vertical (with a 90° intersection)
- Laser range:
 - Indoor: 30m (100')
 - Outdoor with detector: 50m (165')
- Accuracy: 0.2mm/m (0.0002"/")
- Self-leveling range $\pm 3^\circ$
- Manual mode for angular layout/ tilted marking
- Visual and audible "Out of level" warning
- Strong folding legs for angle mounting
- Shock resistant rubber casing
- Tripod ready: 1/4" thread

Applications

- Aligning tiles, cabinets, borders, moldings and trims
- Door and window installation
- All types of DIY jobs, including hanging shelves, pictures and more

Options

- Laser with 3.2m (10.5') pole tripod (873S)
- Laser with wall mount (873L)



873 SET (873S)


Laser with pole tripod
up to 3.2m (10.5')

873G PROLASER® GREEN VECTOR

The green genie in your toolbox, the superior advantage



894-04G
Laser Detector
For outdoor work (sold separately)



INDOOR OUTDOOR AND TILT MODE

- 3 Laser beams, including:
 - 1 Horizontal
 - 2 Vertical (with a 90° intersection)
- Laser range:
 - Indoor: 30m (100')
 - Outdoor with detector: 60m (200')
- Accuracy: 0.2mm/m (0.0002"/")
- Self-leveling range $\pm 3^\circ$
- Manual mode for angular layout/ tilted marking
- Visual and audible "Out of level" warning
- Strong folding legs for angle mounting
- Shock resistant rubber casing
- Tripod ready: 1/4" thread

Applications

- Aligning tiles, cabinets, borders, moldings and trims
- Door and window installation
- All types of DIY jobs, including hanging shelves, pictures and more

Options

- Laser with 3.2m (10.5') pole tripod (873GS)
- Laser with wall mount (873GL)



873G SET (873S)

Laser with pole tripod
up to 3.2m (10.5')

870 VHX PROLASER® VIP

The indoor/outdoor shielded cross line laser

Manual Mode

Beam Selector

Pulse/ Outdoor Mode



Keypad

IP65

Shock resistant
rubber casing

Laser projector
window
Horizontal & Vertical



Tripod
thread
1/4"


9cm (3.54")
10cm (4.15")

On/Off switch

841
5/8" thread



894-04
Laser Detector
For outdoor work (sold separately)



INDOOR OUTDOOR AND TILT MODE

- Horizontal and vertical cross lines at 90°
- Indoor laser range 30m (100')
- Outdoor laser range 50m (165') with detector
- Accuracy: $\pm 0.2\text{mm/m}$ (0.0002"/')
- Self-leveling range: $\pm 3^\circ$
- Manual mode
- Audio & visible "Out of level" warning
- Pulse mode
- Water and dust proof (IP65)
- Protective Rubber over molded casing
- Tripod-ready: 1/4" thread

Includes

- Laser target, universal wall mount (886-23), tripod adaptor for 5/8" thread (841) batteries and a soft carry bag

Applications

- Tiling
- Deck installation and exterior layout
- Door and window installation

Optional


- Lightweight tripod (886-28)
- Red Laser detector (894-04)



870G VHX PROLASER® VIP

The indoor/outdoor shielded cross line laser





INDOOR OUTDOOR AND TILT MODE

Features:

- Horizontal and vertical cross lines at 90°
- Indoor laser range 30m (100')
- Outdoor laser range 60m (200') with detector
- Accuracy: $\pm 0.2\text{mm/m}$ (0.0002"/")
- Self-leveling range: $\pm 3^\circ$
- Manual mode
- Audio & visible "Out of level" warning
- Pulse mode
- Water and dust proof (IP65)
- Protective rubber over molded casing
- Tripod-ready: 1/4" thread

Includes:

- Laser target, universal wall mount (886-23), tripod adaptor for 5/8" thread (841) batteries and a soft carry bag

Applications


- Tiling
- Deck installation and exterior layout
- Door and window installation

Optional:

- Lightweight tripod (886-28)
- Green Laser detector (894-04G)



875 PROLASER® ALL-LINES



1. Horizontal line button
2. Vertical lines button
3. Manual mode button
4. Pulse/ Outdoor Mode

Keypad

Surface level

Vertical laser output window x4

Horizontal laser output window


Graduated scale

Adjustable support legs



Micro USB port


Fine adjustment knob



894-04
Laser Detector
For outdoor work (sold separately)



Tripod
thread 5/8"



INDOOR OUTDOOR AND TILT MODE

- 6 Laser beams, including:
 - 1 Horizontal
 - 4 Vertical (with a 90° intersection on the ceiling)
 - 1 Plumb dot
- Laser range:
 - Indoor: 30m (100')
 - Outdoor with detector: 50m (165')
- Accuracy: 0.2mm/m (0.0002"/")
- Self-leveling range $\pm 2.5^\circ$
- Manual mode for tilted marking
- Visual and audible "Out of level" warning
- Rechargeable Lithium battery
- USB connector for battery charging
- Fine adjustment knob
- Tripod ready: 5/8" thread

Includes

- Beamfinder™ glasses, laser target, rechargeable lithium battery and soft carry case

Applications

- Setting floor and wall tiles
- Drywall, deck & acoustic ceiling installation
- Framing and aligning windows and doors

Option

- With tripod & hard carry case (875S)




875 SET (875S)

883N PROLASER® 3D ALL-LINES

360° beams in every direction - Indoor & Outdoor Use





INDOOR OUTDOOR AND TILT MODE

- Three 360° Laser beams, including:
 - Horizontal
 - Side vertical
 - Forward vertical
- Laser range:
 - Indoor: 20m (65')
 - Outdoor with detector: 60m (200')
- Accuracy: 0.2mm/m (0.0002"/")
- Automatic self-leveling up to $\pm 3^\circ$
- Manual mode for tilted marking
- Tripod ready: 1/4" & 5/8" thread

Includes

- Multi-functional magnetic mount, laser target and hard carry case.

Applications

- Accurately laying out right angles for flooring, drywall installation and deck construction
- Leveling slopes (manual mode)
- Acoustic ceiling installations
- Framing and aligning windows and doors



883G PROLASER® 3D ALL-LINES - GREEN


360° beams in every direction - Indoor & Outdoor Use



Hard carry case, multi-functional magnetic mount, laser target
green Beamfinder™ glasses, battery charger and lithium-ion
battery



894-04G Detector
For outdoor work (sold separately)



INDOOR OUTDOOR AND TILT MODE

- Three 360° Laser beams, including:
 - Horizontal
 - Side vertical
 - Forward vertical
- Laser range:
 - Indoor: 20m (65')
 - Outdoor with detector: 70m (230')
- Accuracy: 0.2mm/m (0.0002"/")
- Automatic self-leveling up to $\pm 3^\circ$
- Manual mode for tilted marking
- Tripod ready: 1/4" & 5/8" thread

Includes

- Lithium-ion battery, battery charger, green Beamfinder™ glasses, laser target, multi-functional magnetic mount and hard carry case.

Applications

- Accurately laying out right angles for flooring, drywall installation and deck construction
- Leveling slopes (manual mode)
- Acoustic ceiling installations
- Framing and aligning windows and doors




Lithium battery






377 KAPROMETER K7

With beamfinder™ flip cover

INCLINOMETER



RANGE
UP TO **100m**




Double
Pythagoras

Beamfinder™ flip cover

LCD screen

Power button

Impact-resistant rubber over-mold



- Accuracy: $\pm 1.5\text{mm}$
- BeamFinder™ flip cover helps you to clearly locate the laser dot on the intended target surface and protects the keypad
- Measures the shortest distance to target with Dynamic (continuous) measuring
- Measures area, volume, Pythagoras
- Choice of 3 reference points
- Integrated inclinometer
- Bluetooth communication and friendly free application
- Advanced memory function
- Impact-resistant rubber over-mold
- Tripod-ready: 1/4" thread
- Battery indicator




1. LCD Display
2. Indirect Measurement I, II & III
3. Subtraction
4. Timer
5. Reference point
6. Clear / Power
7. Memory Record/ Recall
8. Addition
9. Area / Volume
10. Measure
11. Backlight
12. Dynamic Measuring
13. Units
14. Bluetooth
15. Beamfinder™ Flip cover

363 KAPROMETER K-3




With Beamfinder™ flip cover



- Accuracy: 2mm/m
- Measuring Range up to 30m (100')
- BeamFinder™ flip cover offers higher visibility and keypad protection
- Measures: area, volume & pythagorean
- The shortest distance to target with Dynamic (continuous) measuring
- Choice of 2 reference points
- Choice of 5 measuring units
- Backlit LCD display
- Impact-resistant rubber over-mold
- Battery indicator



RANGE
UP TO **30m**



893 T-LASER™

CLIP-ON MARKING LASER

- 90° Highly visible laser beam
- Indoor laser range: 3m (10')
- Spring grip slides onto edge of standard boards (1/4" - 5/8") 6.4mm - 15.9mm
- Manual on/off switch
- Pressure-activated power switch
- Bi-material molded case with rubber overlay
- Handy belt clip

Applications

- For use with drywall, plywood and composition board
- Projects a 90° laser beam for free-form cutting



810 PROLASER® NAIL GRIPPER™

LINE LASER WITH NAIL AND SCREW GRIP

- Highly visible laser beam
- 2 cylindrical vials: vertical and horizontal
- Laser range: 6m (20')
- Patented rubber grip holds any size nail or screw
- Pressure-activated power switch
- Magnetic wristband included for holding nails and screws

Applications


- Hanging shelves, pictures and mirrors
- Aligning panels, tiles and wall coverings



814 PROLASER® SET-A-SHELF™

Patented

Set & match® with laser line



- Highly visible laser beam: horizontal, vertical or a 45° beam
- 2 cylindrical vials: vertical and horizontal
- Laser range: up to 6m (20')
- "Click-in-place" lock
- "Slide-and-lock" level markers
- Integrated magnetic stud finder

Applications

- Hanging shelves, pictures and mirrors
- Aligning tiles, decorative layouts and patterns




389 MULTISCANNER STUD FINDER

ELECTRONIC CABLE, METAL & STUD SENSOR

- Electronic sensors detect:
 - Live AC wires
 - Metal, studs
 - Wood
- Detection depth:
 - Live wires & metal: 75mm (3")
 - Metal pipes 38mm (1 1/2")
 - Wood 18mm (3/4")
- Detection buzzer
- Automatic scan



830 AUTOMATIC OPTICAL LEVEL



zoom x32



- Telescopic zoom X32
- Working range of up to 120 m
- Accuracy 1.6mm/30m
- 360° adjustable rotation feature
- Built-in lock to protect mechanism
- Tripod ready: 5/8" thread



Includes


- Optical level, plumb bob, allen key, directional pin and hard case

Applications

- Leveling foundations
- Pipe laying
- Road construction

Options

- Large tripod and surveyors measuring stick (4m)



2 POWERFULL TOOLS IN 1 SOFT CARRY BAG

GREEN CROSS-BEAM LASER & DISTANCE MEASURER

A powerful duo to have on your side

The 363 Kaprometer Distance measurer with Flip Cover

- Indoor laser range of up to 30m (100')
- Measures area, volume, Pythagoras
- Dynamic (continuous) measuring
- Choice of 3 reference points
- Advanced memory function

The 872G Prolaser® Green

- Intersecting horizontal and vertical lines at 90°
- Indoor laser range of 30m (100')
- Outdoor laser range of 60m (200') with detector
- Self-leveling
- "Tilt" mode for angular layout/markings
- Strong folding legs for angle mounting and height adjustment

and both are Tripod-ready with 1/4" thread



886-10

Leveling Disk for Laser Level

- Attachment fits standard tripod
- Locking screw to secure laser level at required angle
- Rotary scale in degrees
- Standard 5/8" UNC (16mm) thread for attachment to tripod



886-20

Laser angle mount

Accurate indication of inclined angle



840G

Beamfinder™ Glasses

Enhances visibility of laser beam



840

Beamfinder™ Glasses

Enhances visibility of laser beam



845

Red Laser Target

- Magnetic
- Special reflective surface
- Graduated target (in/cm)



894-04G

Green Laser Beam Detector

For use with Pulse enabled laser tools for extended ranges



894-04

Red Laser Beam Detector

For use with Pulse enabled laser tools for extended ranges



845G

Green Laser Target

- Magnetic
- Special reflective surface
- Graduated target (in/cm)



886-23

Universal Wall mount



886-24

Multi-Functional Magnetic Mount

